



Characterization and biodegradation of two technical mixtures of side-chain fluorinated acryl copolymers

Eschauzier, C.; Trier, Xenia; Bengtström, Linda; Frömel, T.; de Voogt, P.; Knepper, T. P.

Publication date:
2012

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Eschauzier, C., Trier, X., Bengtström, L., Frömel, T., de Voogt, P., & Knepper, T. P. (2012). *Characterization and biodegradation of two technical mixtures of side-chain fluorinated acryl copolymers*. Poster session presented at 4th workshop on per- and polyfluorinated alkyl substances PFASs, Idstein, Germany.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Characterization and biodegradation of two technical mixtures of side-chain fluorinated acryl copolymers

Christian Eschauzier^{1,2,3}, Xenia Trier⁴, Linda Bengtström⁴, Tobias Frömel³, Pim de Voigt^{2,1}, Thomas P. Knepper³

¹ KWR Watercycle Research Institute, P.O.Box 1072, 3430 BB Nieuwegein, Netherlands

² Earth Surface Sciences, Institute for Biodiversity and Ecosystem Dynamics, Universiteit van Amsterdam, POBox 94248, 1090GE Amsterdam, Netherlands

³ Hochschule Fresenius, Limburger Straße 2, 65510 Idstein, Germany

⁴ National food institute, Technical University of Denmark, Mørkøbj Bygade 19, 2860 Søborg, Denmark

Christian.eschauzier@kwrwater.nl, xtr@food.dtu.dk



Introduction

- PFAA sources to the environment: direct & indirect.
- Biodegradation of side-chain fluorinated acryl copolymers (fluorotelomer alcohols (FTOH) based), leaching of residual perfluoroalkylacids (PFAA) and biodegradation of residual monomers/oligomers as sources of PFAA?
- Large uncertainty of the indirect sources for fluorotelomer based products 6-160 t (Prevedourous, 2006) vs. amount of produced FTOH based side-chain fluorinated copolymer (4000 to 5200 t/year for 1995-2004)
- Both side-chain fluorinated acryl copolymers are used for coating of food paper and board packaging

- **Aim of the study: Characterize two fluorinated acryl copolymers and their PFAA precursor potential**



Figure 1: 10% polymer solutions before centrifugation

Materials & Methods

- Two technical mixtures of side-chain fluorinated acryl copolymers were obtained:
Copolymer 1: cationic, solvated in methanol
Copolymer 2: non-ionic, solvated in water
- 10% solutions ultracentrifuged: 3 kDa mass cutoff analyzed
- Biodegradation experiments at 100 mg/L
Innoculum: wastewater treatment plant effluent
- Instrumentation:
 - UHPLC-ESI-QqQ (Waters Quattro Ultima)
 - UHPLC-ESI+-QTOF (Bruker, MicroTOF)
 - ¹⁹F-NMR (500 MHz Varian Unity Inova)




Figure 2: Biodegradation setup


Results & Discussion

Side-chain fluorinated acryl copolymer 1

- Large amount of residuals FTOH and PFAA present in fluoropolymer mixture. FTOH: C6 (2%), C8 (45%), C10 (40%) and C12 (13%).
- UHPLC-ESI+ microQTOF scan shows homologues series separated by $\Delta m/z = 100$ (CF_2CF_2), probably from fluorotelomer acrylates (FTAc)




- ¹⁹F-NMR spectrum:




H/F nanoprobe spinning at ≈ 2000 Hz

Side-chain fluorinated acryl copolymer 2

- 1‰ of residual FTOH and minor amounts of PFAA present in fluoropolymer mixture: FTOH: C6 (90%), C8 (5%) and C10 (5%).
- Degradation of a fluorinated acryl copolymer



- First results on biodegradation experiment of residual 6:2 FTOH or C6 based side-chain fluorinated acryl copolymer technical mixture



Conclusions

- FTOH and PFAA residuals were present in both mixtures.
- Homologues series of "unknown" fluorinated compounds were found in fluorinated copolymer 1 by accurate MS (LC-QTOF MS)
- Perfluorinated side chains were observed in copolymer 1 by ¹⁹F NMR
- Side-chain fluorinated acryl copolymer 2 had broad peaks in the ¹⁹F NMR spectrum, possibly due to micellization.
- Degradation of FTOH residuals or side-chain fluorinated acryl copolymers are sources of PFAA in food packaging and in the environment
- More knowledge on production volumes of side chain fluoropolymers and individual brands is required for a thorough assessment of the precursor potential of side-chain fluorinated acryl copolymers

The financial support of the German UBA precursor project, the Danish Veterinary and Food Administration and from a Marie Curie grant are gratefully acknowledged.